

Eljintek, Inc.  
Ms. Lydia Zhang  
-  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist.  
Kaohsiung 806  
Taiwan

Date : 06.07.2016  
Our ref. : YFR ZTW1  
Your ref.: 12089647/GW130616

**Ref : S GS-Mark Approval**

Type of Equipment : SWITCHING POWER SUPPLY  
Model Designation : See Certificate  
Certificate No. : S 50350944 0001  
Report No. : 10056156 002

Dear Ms. Lydia Zhang,

Enclosed please find above certification documents.  
Please forward these originals to the certificate holder.

If you contact our office, please quote our reference above.

We thank you for your cooperation.

the certificate holder is: MEAN WELL Enterprises Co., Ltd.

With kind regards,

Certification Body

  
Dipl.-Ing. F. Stoelzel

Enclosure

**TÜV RHEINLAND TAIWAN LTD.**

11F., No. 758, Sec. 4, Bade Rd.,  
Songsshan Dist., Taipei City 105,  
Taiwan R. O. C.  
Tel. (02) 2172-7000  
Fax (02) 2528-0018  
<http://www.tuv.com>

TAICHUNG BRANCH:  
No. 9, Lane 36, Sec. 3, Minsheng Rd.,  
Daya Dist., Taichung City 428  
Taiwan, R. O. C.  
Tel. (04) 2560-2998  
Fax (04) 2566-3598

MEAN WELL Enterprises Co., Ltd.  
Ms. Karen Lin Safety Engineer  
-  
No. 28, Wuquan 3rd Rd.,  
Wugu Dist., New Taipei City 248  
Taiwan

Date : 06.07.2016  
Our ref. : YFR ZTW1  
Your ref.: 12089647/GW130616

**Ref : S GS-Mark Approval**

Type of Equipment : SWITCHING POWER SUPPLY  
Model Designation : See Certificate  
Certificate No. : S 50350944 0001  
Report No. : 10056156 002

Dear Ms. Karen Lin,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body

  
Dipl.-Ing. F. Steelzel

cc: Eljintek, Inc.

Enclosure

**TÜV RHEINLAND TAIWAN LTD.**

11F., No. 758, Sec. 4, Bade Rd.,  
Songsshan Dist., Taipei City 105,  
Taiwan R. O. C.  
Tel. (02) 2172-7000  
Fax (02) 2528-0018  
<http://www.tuv.com>

TAICHUNG BRANCH:  
No. 9, Lane 36, Sec. 3, Minsheng Rd.,  
Daya Dist., Taichung City 428  
Taiwan, R. O. C.  
Tel. (04) 2560-2998  
Fax (04) 2566-3598

# Zertifikat

# Certificate



Zertifikat Nr. *Certificate No.*  
S 50350944

Blatt *Page*  
0001

| Ihr Zeichen <i>Client Reference</i> | Unser Zeichen <i>Our Reference</i> | Längstens gültig bis <i>Latest expiration date</i> |
|-------------------------------------|------------------------------------|--|
| 12089647/GW130616                   | ZTW1-YFR-10056156 002              | 02.06.2021<br><i>(day/mo/yr)</i>                   |

Genehmigungsinhaber *License Holder*  
MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu Dist., New Taipei City 248  
Taiwan

Fertigungsstätte *Manufacturing Plant*  
ZTW1-RNK-10056156 001

## Prüfzeichen *Test Mark*



www.tuv.com  
ID 1419037371

Geprüft nach *Tested acc. to*  
EN 60950-1:2006+A11+A1+A12+A2  
AfPS GS 2014:01 Par. 3.1

## Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

## Lizenzentgelte - Einheit *License Fee - Unit*

### Schaltnetzteil (SWITCHING POWER SUPPLY)

|  |   |
|--|---|
| Bezeichnung (Type Designation): GP25xyzzzzzv (MW)  | 1 |
| x steht für (stands for) : B oder (or) D   | 1 |
| y steht für (stands for) : 13, 13A, 13D, 14, 14A, 14E, 16, 3D oder (or) 58F  | 1 |
| z steht für (stands for) : 0 bis (to) 9, A bis (to) Z oder strich (or dash) oder freibleibend (or blank)   | 1 |
| v steht für (stands for) : E oder freibleibend (or blank)  | 1 |
| Nennspannung (Rated Voltage): AC 100-240V, 50/60Hz   |   |
| Nennstrom (Rated Current) : 0.8A   |   |
| Ausgang (Output) : siehe Anlage (see Appendix)   |   |
| max. Betriebshöhe (max. Operating Altitude) : 5000m  |   |
| max. Umgebungstemperatur (max. Ambient Temperature): 40°C  |   |
| Schutzklasse (Protection Class) : II   |   |
| Hinweis: Dieses Netzgerät ist geprüft und erfüllt die Anforderungen nach Abschnitt 2.5 als Stromquelle mit begrenzter Leistung. (Remark: The equipment is also tested and complies with sub-clause 2.5 as limited power source.) |   |

5

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.  
Produkt und Fertigungsstätte erfüllen § 20 und § 21 des Produktsicherheitsgesetzes.  
*This certificate is based on our Testing and Certification Regulation.  
Product and production fulfill par § 20 and § 21 of the Product Safety Law.*

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com  
Fax: +49 221 806-3935 http://www.tuv.com/safety

Ausstellungsdatum *Date of Issue* : 06.07.2016 (day/mo/yr)

Zertifizierungsstelle

Dipl.-Ing. F. Stoelzel

Appendix to TÜV approved Certificate No.: S 50350944

Certified Product : SWITCHING POWER SUPPLY

Report Number : 10056156 002


Type Designation : GP25xyzzzzzv (x can be B or D; y can be 13, 13A, 13D, 14, 14A, 14E, 16, 3D, 58F; z can be 0 to 9, A to Z or dash or blank; v can be E or Blank)

DC Output Rating:

| Model Name     | Output#1 |                 | Output#2 |                 | Output#3    |                 | Maximum output power |
|----------------|----------|-----------------|----------|-----------------|-------------|-----------------|----------------------|
|                | Voltage  | Maximum current | Voltage  | Maximum current | Voltage     | Maximum current |                      |
| GP25x13Azzzzzv | 5V       | 2.5A            | 12V      | 1.2A            | -5V         | 0.3A            | 28.5W                |
| GP25x14Azzzzzv | 5V       | 2.5A            | 15V      | 1.0A            | -5V         | 0.3A            | 29W                  |
| GP25x13zzzzzv  | 5V       | 2.5A            | 12V      | 1.5A            | /           | /               | 30.5W                |
| GP25x13Dzzzzzv | 5V       | 2.5A            | 12V      | 1.0A            | -12V        | 0.3A            | 28W                  |
| GP25x14zzzzzv  | 5V       | 2.5A            | 15V      | 1.2A            | /           | /               | 30.5W                |
| GP25x14Ezzzzzv | 5V       | 2.5A            | 15V      | 0.8A            | -15V        | 0.3A            | 29W                  |
| GP25x16zzzzzv  | 5V       | 2.5A            | 24V      | 0.8A            | /           | /               | 31.7W                |
| GP25x3Dzzzzzv  | 11-16V   | 1.05A           | /        | /               | -11 - -16V  | 1.05A           | 33.6W                |
| GP25x58Fzzzzzv | 16-21V   | 1.05-0.8A       | 48-58V   | 0.087-0.072A    | -16V - -21V | 1.05-0.8A       | 37.77W               |

Date: Jul. 06, 2016

Certification Body



Dipl.-Ing. F. Stoelzel